


EXISTING WALL



Tile finish, 30x30cm

Shower rack, stainless steel tube, 16mmø

Rectangular Shower head, stainless steel, 10"x10"

Shower knob

Stainless steel wall mounted eye-shower (for installation by the supplier)


Shower curtain PVC, clear

Floor drain, stainless steel, 4"x4"

Floor nosing

Pipe drainage, PVC, 3"

EXISTING FLOORING




2
A-1

SIDE VIEW
NTS

3
A-1

PIPE CONNECTIONS
DETAILS
NTS



1 1/2" PVC PIPE, BLUE COLOR, EMBEDDED TO THE EXISTING WALL

PIPE DRAINAGE CONNECTED TO THE NEAREST SANITARY LINES

WATER LINES CONNECTED TO NEARBY WATER DISTRIBUTION SYSTEM

1
A-1

ISOMETRIC VIEW
1:30MM

EMERGENCY EYEWASH/SHOWER SPECIFICATIONS

NOTES:
All Dimension is in mm, or unless otherwise specified.

Contractor shall verify all dimensions before all works is to begin.

Subject to actual verifications.

OWNER PHILIPPINE FIBER INDUSTRY DEVELOPMENT AUTHORITY 3F, COMPOUND VISAYAS AVENUE, ALIPIYAN ROAD, CALAMANG, QUEZON CITY	PROJECT TITLE/LOCATION IMPROVEMENTS OF CHEMICAL AND WET LAB. OF FPUL BAL COMPOUND VISAYAS AVENUE, CALAMANG, QUEZON CITY	SHEET CONTENTS AS SHOWN DATE 07/12/2019 REV. NO. _____ REV. DATE _____	DRAWN BY 	ENGR. RAMIL B. BARBELONA	CHECKED BY 	ENGR. PEPITO M. SORIANO III	RECOMMENDING APPROVAL 	REMEDIOS ARGONA PhD CHIEF FIBER UTILIZATION TECHNOLOGY DIVISION	APPROVED 	KENNETH A. ARGONA EXECUTIVE DIRECTOR III	SHEET NO. A-1 1/1